


Kerto LVL S-beam joists for residential floor

22/07/2020




Notes:

- Calculation is done according to standard EN 1995-1-1 with National Annex of Spain.
- Service class 1 or 2. The consequences class is CC2.
- The permanent load is 1,0 kN/m², live load is 2 kN/m²
- Partitions walls is 0,5 kNm² included in permanent load, and support length is 45 mm or more.
- Spacing c/c 600mm
- Vibration parameters set for domestic residential building.
- This document is property of Metsäliitto Cooperative (Metsä Wood) and is protected by copyright. It intends to only provide general information about Metsä Wood's products produced according to harmonised standard hEN 14374. It should not be used as a definitive source of information or as advice. To the maximum extent permitted by law, Metsäliitto Cooperative is not responsible for liability, loss, damage, or injury incurred by relying on the information either contained or omitted from this document. Metsä Wood and Kerto are registered trademarks of Metsäliitto Cooperative (Metsä Wood).
- All final structural design should always be done by qualified personnel.



Kerto LVL S-beam for residential floors Headers, lintels, primary beams, ridge beams

22/07/2020



Notes:


- Calculation is done according to standard EN 1995-1-1 with National Annex of Spain.
- Service class 1 or 2. The consequences class is CC2.
- The permanent load is 40% of the total characteristic load.
- The support length should be evaluated separately.
- Beam has a lateral torsional buckling supports at top surface with spacing not more than 600 mm.
- This document is property of Metsäliitto Cooperative (Metsä Wood) and is protected by copyright.
It intends to only provide general information about Metsä Wood's products produced according to harmonised standard hEN 14374. It should not be used as a definitive source of information or as advice. To the maximum extent permitted by law, Metsäliitto Cooperative is not responsible for liability, loss, damage, or injury incurred by relying on the information either contained or omitted from this document. Metsä Wood and Kerto are registered trademarks of Metsäliitto Cooperative (Metsä Wood).
- All final structural design should always be done by qualified personnel.



Kerto LVL S-beam in roofs

22/07/2020

Headers, lintels, ridge beams, primary beam and primary purlins




Notes:

- Calculation is done according to standard EN 1995-1-1 with National Annex of Spain.
- Service class 1 or 2. The consequences class is CC2.
- The permanent load is 60% of the total characteristic load.
- The support length should be evaluated separately.
- Beam has a lateral torsional buckling supports at top surface with spacing not more than 400 mm.
- This document is property of Metsäliitto Cooperative (Metsä Wood) and is protected by copyright. It intends to only provide general information about Metsä Wood's products produced according to harmonised standard hEN 14374. It should not be used as a definitive source of information or as advice. To the maximum extent permitted by law, Metsäliitto Cooperative is not responsible for liability, loss, damage, or injury incurred by relying on the information either contained or omitted from this document. Metsä Wood and Kerto are registered trademarks of Metsäliitto Cooperative (Metsä Wood).
- All final structural design should always be done by qualified personnel.



Kerto LVL T-stud for non load-bearing partition wall

22/07/2020



Notes:

- Calculation is done according to standard EN 1995-1-1 with National Annex of Spain
- Service class 1 or 2. The consequences class is CC2.
- This document is property of Metsäliitto Cooperative (Metsä Wood) and is protected by copyright. It intends to only provide general information about Metsä Wood's products produced according to harmonised standard hEN 14374. It should not be used as a definitive source of information or as advice. To the maximum extent permitted by law, Metsäliitto Cooperative is not responsible for liability, loss, damage, or injury incurred by relying on the information either contained or omitted from this document. Metsä Wood and Kerto are registered trademarks of Metsäliitto Cooperative (Metsä Wood).
- All final structural design should always be done by qualified personnel.